

ODAT-8 - ORACLE DATABASE 23AI: MULTITENANT ARCHITECTURE

Categoria: **Database**

INFORMAZIONI SUL CORSO



Durata:
4 Giorni



Categoria:
Database



Qualifica Istruttore:
Oracle Certified
Professional



Dedicato a:
Professionista IT



Produttore:
Oracle

OBIETTIVI

Use the Multitenant feature of Oracle AI Database for it to function as a container database (CDB), thereby improving resource utilization, management, and overall security. Learn the benefits, configuration, and management of container and pluggable databases, including backup, security, and data migration using Oracle Database 23ai. With hands-on practices, you'll be able to reinforce the learning of the new Oracle Multitenant feature and its capabilities.

PREREQUISITI

CONTENUTI

1: CDB Basics

- Objectives 1-2
- Challenges 1-3
- Multitenant Architecture: Benefits 1-4
- Other Benefits of Multitenant Architecture 1-5
- Oracle Multitenant Container Database 1-6
- Configurations 1-7
- SYSTEM Objects in the USER Container 1-8
- Provisioning a Pluggable Database 1-9
- Multitenant Container Database Architecture 1-10
- Containers 1-11
- Tools 1-12
- Data Dictionary and Dynamic Views 1-13
- Terminology 1-14
- Impacts 1-16
- Summary 1-18
- Multitenant Architecture Poster 1-19

2: CDB and Regular PDBs

- Objectives 2-2
- Goals 2-3

- Creating a CDB 2-4
- Creating a CDB: Using SQL*Plus 2-5
- Clause: SEED FILE_NAME_CONVERT 2-6
- Clause: ENABLE PLUGGABLE DATABASE 2-7
- After CDB Creation 2-8
- Data Dictionary Views: DBA_xxx 2-9
- Data Dictionary Views: CDB_xxx 2-10
- Data Dictionary Views: Examples 2-11
- Data Dictionary Views: V\$xxx Views 2-12
- After CDB Creation: To Do List 2-13
- Automatic Diagnostic Repository 2-14
- Automatic Diagnostic Repository: alert.log File 2-15
- Provisioning New Pluggable Databases 2-16
- Tools 2-17
- Creating New PDB from PDB\$SEED 2-18
- Steps: With FILE_NAME_CONVERT 2-19
- Steps: Without FILE_NAME_CONVERT 2-20
- Summary 2-21

3: Application PDBs and Application Installation

- Objectives 3-2
- Regular PDBs 3-4
- PDBs and Applications 3-5
- Application Containers 3-6
- Application Containers: Other Features 3-7
- Types of Containers 3-8
- Creating Application PDBs 3-9
- Application Name and Version 3-10
- Installing Applications 3-11
- Patching and Upgrading Applications 3-12
- Application Common Objects 3-13
- Use Cases for Application Containers 3-14
- Use Case: Pure PDB-Based Vs Hybrid Model 3-15
- Container Map 3-16
- Container Map: Example 3-17
- Query Routed Appropriately 3-18
- Dynamic Container Map 3-19
- Container Map and Containers Default 3-20
- Query Across CDBs Using Application Root Replica 3-21
- Durable Location Transparency 3-22
- Data Dictionary Views 3-23
- Terminology in Application Container Context 3-24
- Commonality in Application Containers 3-25
- Impacts 3-26
- Summary 3-27

4: PDB Creation

- Objectives 4-2

- Cloning Regular PDBs 4-4
- Cloning Application Containers 4-5
- Plugging a Non-CDB into CDB 4-6
- Plugging a Non-CDB into CDB as PDB Using DBMS_PDB 4-7
- Replicating Non-CDB into CDB 4-8
- Cloning a Non-CDB or Remote PDB 4-9
- Plugging an Unplugged Regular PDB into CDB 4-10
- Flow 4-11
- Plugging Using Archive File 4-13
- Unplugging and Plugging Application PDBs 4-14
- Converting Regular PDBs to Application PDBs 4-15
- Unplugging and Plugging a PDB with Encrypted Data 4-16
- Local UNDO Mode Vs Shared UNDO Mode 4-17
- Cloning Remote PDBs in Hot Mode 4-18
- Near-Zero Downtime PDB Relocation 4-19
- Proxy PDB: Query Across CDBs Proxying Root Replica 4-21
- Creating a Proxy PDB 4-22
- Using DBCA to Clone a Remote PDB 4-23
- Using DBCA to Relocate a Remote PDB 4-24
- Using DBCA to Duplicate a CDB 4-25
- Dropping PDBs 4-26
- Summary 4-27

5: CDB and PDB Management

- Objectives 5-2
- Connection 5-4
- Switching Connection 5-5
- Creating Services 5-6
- Renaming Services 5-7
- Starting Up a CDB Instance 5-8
- Mounting a CDB 5-9
- Opening a CDB 5-10
- Opening a PDB 5-11
- Pluggable Database Hybrid Read-Only Mode 5-12
- Automatic PDB Opening 5-16
- Closing a PDB 5-17
- Shutting Down a CDB Instance 5-18
- Changing PDB Mode 5-19
- Modifying PDB Settings 5-20
- Instance Parameter Change Impact 5-21
- Instance Parameter Change Impact: Example 5-22
- Using ALTER SYSTEM Statement on PDB 5-23
- Configuring Host Name and Port Number per PDB 5-24
- Summary 5-25

6: Storage

- Objectives 6-2
- Objects in Tablespaces 6-3

- Tablespaces Created During PDB Creation 6-5
- Defining Default Permanent Tablespaces 6-6
- Temporary Tablespaces 6-7
- UNDO Tablespaces 6-8
- Summary 6-9

7: Security

- Objectives 7-2
- Creating Common Users in the CDB and PDBs 7-4
- Creating Common Roles in the CDB and PDBs 7-5
- Granting Privileges Commonly in the CDB and PDBs 7-6
- Creating Common Profiles in the CDB and PDBs 7-7
- Common Objects in Application Containers 7-8
- Operations on Data-Linked Objects 7-9
- Enabling Common Users to Access Data in PDBs 7-10
- Finding Information About CONTAINER_DATA Attributes 7-11
- Restricting Operations with PDB Lockdown Profiles 7-12
- Restricting Operations in a PDB Lockdown Profile 7-13
- PDB Lockdown Profiles Inheritance 7-14
- Static and Dynamic PDB Lockdown Profiles 7-15
- Auditing Actions in the CDB and PDBs 7-16
- Managing Other Types of Security Policies in Application Containers 7-18
- Securing Data with Oracle Database Vault 7-19
- Oracle Database Vault-Enabled Strict Mode 7-20
- Managing Keystore in the CDB and PDBs 7-21
- Creating and Opening a Keystore 7-22
- Setting TDE Master Encryption Keys 7-23
- Managing Keystore in the CDB and PDBs 7-24
- Keystore Management Changes for PDBs 7-25
- Defining the Keystore Type 7-26
- Isolating a PDB Keystore 7-27
- Converting a PDB to Run in Isolated Mode 7-28
- Converting a PDB to Run in United Mode 7-29
- Migrating a PDB Between Keystore Types 7-30
- Unplugging and Plugging a PDB with Encrypted Data 7-31
- Per-PDB Wallet for PDB Certificates 7-32
- Summary 7-33

8: Backup and Duplicate

- Objectives 8-2
- Goals 8-3
- Syntax and Clauses in RMAN 8-4
- CDB Backup: Whole CDB Backup 8-6
- CDB Backup: Partial CDB Backup 8-7
- PDB Backup: Partial PDB Backup 8-8
- Using RMAN Backup to Plug an Unplugged PDB 8-9
- Duplicating Pluggable Databases 8-10
- Cloning Active PDB into an Existing CDB 8-11

- Example: 1 8-12
- Example: 2 8-13
- Duplicating On-Premises CDB as Cloud Encrypted CDB 8-14
- Duplicating On-Premises Encrypted CDB as Cloud Encrypted CDB 8-15
- Migrating Cloud Encrypted CDB as On-Premises CDB 8-16
- Checking for Block Corruption 8-17
- Summary 8-18

9: Recovery and Flashback

- Objectives 9-2
- Goals 9-4
- Instance Failure and Instance Recovery 9-5
- NOARCHIVELOG Mode 9-6
- CDB and PDB Tempfile Recovery 9-7
- CDB SYSTEM or UNDO Tablespace Recovery 9-8
- PDB SYSTEM or UNDO Tablespace Recovery 9-9
- CDB or PDB Non-SYSTEM Tablespace Recovery 9-10
- PITR 9-11
- Migrating a Non-CDB to a CDB 9-12
- Migrating a Non-CDB and Transporting Non-CDB Backups to a CDB 9-13
- Relocating/Plugging a PDB into Another CDB 9-14
- Plugging a PDB and Transporting PDB Backups to a CDB: 1 9-15
- Plugging a PDB and Transporting PDB Backups to a CDB: 2 9-16
- Using PrePlug-in Backups 9-17
- Considerations 9-18
- Example 9-19
- CDB and PDB Flashback 9-20
- PDB Flashback and Clean Restore Point 9-21
- Creating a PDB Snapshot from a PDB 9-22
- PDB Snapshot Carousel 9-23
- Creating PDB Snapshots 9-24
- Creating PDBs Using PDB Snapshots 9-25
- Dropping PDB Snapshots 9-26
- Flashbacking PDBs Using PDB Snapshots 9-27
- Switching Over a Refreshable Cloned PDB 9-28
- Unplanned Switchover 9-29
- Summary 9-30

10: Performance

- Objectives 10-2
- Tuning a CDB 10-4
- Sizing the CDB 10-5
- Testing the Estimates 10-6
- Managing SGA for PDBs 10-7
- Managing PGA for PDBs 10-8
- Monitoring PDB Memory Usage 10-9
- AWR and ADDM Behavior 10-10
- PDB-Level Snapshot Views 10-11

- Configuring Automatic ADDM Analysis at the PDB Level 10-12
- Enabling ADDM in a Pluggable Database 10-13
- ADDM Data Visibility 10-14
- Basic Rules: Statistics for Common Objects 10-16
- Controlling the Degree of Parallelism of Queries 10-17
- Heat Map and ADO Support 10-18
- Managing Heat Map and ADO Policies in PDB 10-19
- CDB Fleet 10-20
- CDB Lead and CDB Members 10-21
- Use Cases 10-22
- DB Replay: The Big Picture 10-23
- Capturing and Replaying in a CDB and PDBs 10-24
- Reporting 10-25
- Consolidated Database Replay Use Cases 10-26
- Use Cases: Source Workloads 10-27
- The Big Picture 10-28
- Step 1 10-29
- Step 2 10-30
- Step 3 10-31
- Step 4 10-32
- Summary 10-33

11: Resource Allocation

- Objectives 11-2
- Allocating Resources in the CDB 11-3
- Resource Manager and Pluggable Databases 11-4
- Managing Resources Between PDBs 11-5
- CDB Resource Plan Basics: Limits 11-6
- PDB IO Rate Limit 11-8
- CDB Resource Plan: Full Example 11-9
- Maintaining a CDB Resource Plan 11-10
- Managing Resources Within a PDB 11-11
- Putting It Together 11-12
- Considerations 11-13
- PDB-Level Parallel Statement Queuing 11-14
- PDB-Level Parallel Statement Queuing: CPU_COUNT 11-15
- Session PGA Limit 11-16
- Performance Profiles 11-17
- Summary 11-18

12: Data Movement

- Objectives 12-2
- Using Oracle Data Pump with PDBs 12-3
- Exporting from Non-CDB and Importing into PDB 12-4
- Exporting and Importing Between PDBs 12-5
- Full Transportable Export/Import: Overview 12-6
- Full Transportable Export/Import: Usage 12-7
- Full Transportable Export/Import: Example 12-9

- Transporting a Database Over the Network: Example 12-10
- Additional Features of Oracle Data Pump 12-11
- Using SQL*Loader with PDBs 12-12
- Summary 12-13

13: Upgrade Methods

- Objectives 13-2
- Upgrading CDB and PDBs to 23ai: Methods 13-3
- Upgrading CDB and PDBs to 23ai 13-4
- Installing Oracle Database 23ai Software Using OUI 13-5
- AutoUpgrade Utility System Checks 13-6
- Running AutoUpgrade Fixups 13-7
- Configuration File to Run AutoUpgrade Prechecks 13-8
- Upgrading Using the AutoUpgrade Utility 13-9
- AutoUpgrade with Source and Target Database Homes on the Same Server 13-10
- AutoUpgrade with Source and Target Database Homes on Different Servers 13-11
- Overview of AutoUpgrade Job Stages 13-12
- AutoUpgrade Command-Line Parameters and Options 13-14
- AutoUpgrade Command-Line Syntax 13-17
- AutoUpgrade Configuration File 13-18
- Using Replay Upgrade's Automatic Upgrade on PDB Plug-In to a CDB23ai 13-19
- How to Disable or Enable Replay Upgrade 13-20
- Converting and Upgrading Regular PDBs to Application PDBs 13-21
- Cross-Platform Transportable PDB 13-22
- Cross-Platform PDB Transport: Phase 1 13-23
- Cross-Platform PDB Transport: Phase 2 13-24
- Summary 13-25

INFO

Materiale didattico: Materiale didattico ufficiale Oracle in formato digitale

Costo materiale didattico: incluso nel prezzo del corso a Calendario

Natura del corso: Operativo (previsti lab su PC)